


AUTOMOTIVE LEATHER

The right product for every task

Our application technicians listen attentively to our customers: which tasks they face and what kinds of solutions are required. Professional skills in leather technology and chemistry as well as a state-of-the-art application laboratory result in product innovations that withstand even the hardest production conditions at our customers' sites.

A low-temperature vacuum dryer as well as an electronically controlled milling drum with a humidity control system are part of the fundamental equipment of our experimental tannery. All test series are run close to production standards and evaluated with a specially developed software.




		Soaking	liming g	limin	degreasis	Pickle	Dretan	oben obenies	retannan	o n	Wetting	dyeing Back	fixing
SURFACTANTS		80	ig.	8	8	Di	Q	10	Fo.		40	8	E.
SUPRALAN 80	_										Δ		
SUPRALAN 809						Δ							
SUPRALAN ON						Δ							
SUPRALAN ST				A		Δ							
SUPRALAN TY	-	Δ		A	A						Δ		
SUPRALAN UX	-	A		A	A	Δ					Δ		
TANNING AGENTS	••												
DOLATAN F	_						Δ						
DOLATAN F 1	_						Δ						
DOLATAN TA							Δ						
NOVALTAN AG	_					A	A		Δ				
NOVALTAN AL						Δ	A	A	A			Δ	

DOLATAN F
DOLATAN F 1
DOLATAN TA
NOVALTAN AG
NOVALTAN AL
NOVALTAN MAP
NOVALTAN MSA
NOVALTAN PF
NOVALTAN PW
NOVALTAN S-PY
NOVALTAN S-VF
NOVALTAN VS
TAFIGAL HFB
TAFIGAL HK
TAFIGAL P
TAFIGAL S-PS
TAFIGAL S-TF
TAFIGAL V

BASIFICATION	 	 	 	
DOLATAN MG				


DYEING AU	XILIARIES
SINCAL DR	
SINCAL MS	



 \triangle = very suitable \triangle = suitable

PREFAT

MAIN FAT



FATLIQUORS CUIROL C 115 CUIROL LC CUIROL LLV CUIROL S-LL **ENSUL AMC** ENSUL AMV OPTIMALIN OLI OPTIMALIN S-OL OPTIMALIN UCM OPTIMALIN UPH PELGRASSOL SP PELLASTOL SFL PRINOL APV PRINOL CRC PRINOL EMR PRINOL EMS PRINOL F-GB

PRINOL F-GC
PRINOL S-EM
PRINOL S-WE
PROVOL CA-D
PROVOL LX
PROVOL S-LX

SYNCUROL 79 SYNCUROL SE

ACTIVOL AC
CONTRIPON WP-L
MORTANOL 30



➤ Zschimmer & Schwarz
GmbH & Co KG Chemische Fabriken
Max-Schwarz-Strasse 3–5
56112 Lahnstein | DE
T +49 2621 12-512 leather@zschimmer-schwarz.com zschimmer-schwarz.com